

Paul Hastings
ATTORNEYS

Paul, Hastings, Janofsky & Walker LLP
3579 Valley Centre Dr. • San Diego, CA 92130
telephone 858 720 2500 • facsimile 858 720 2555 • www.paulhastings.com

RECEIVED
CENTRAL FAX CENTER

NOV 15 2004

FACSIMILE TRANSMISSION

to:	company/office:	facsimile:	telephone:
Kathryn Odland, Examiner	U.S. Patent and Trademark Office	(703) 872-9306	(703) 308-1327
from:	facsimile:	telephone:	initials:
James P. Conley	(858) 720-2555	(858) 720-2511	JPC4
client name:	Conceptus, Inc.	client matter number:	45078.00003
date:	November 15, 2004	pages (with cover):	3

comments:

Enclosed: Interview Summary Re: October 14, 2004 interview.

If you do not receive all pages, please call immediately Facsimile Center:

This message is intended only for the use of the individual or entity to which it is addressed, and may contain information that is privileged, confidential and exempt from disclosure under applicable law. If the reader of this message is not the intended recipient, or the employee or agent responsible for delivering the message to the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error, please notify us immediately by telephone, and return the original message to us at the above address via the U.S. Postal Service. Thank you..

BEST AVAILABLE COPY

45078.00003.UTL
Patent**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE****RECEIVED
CENTRAL FAX CENTER****NOV 15 2004**

Applicants: Nikolchev, et al.

Serial No.: 10/600,298

Filed: June 20, 2003

Title: CONTRACEPTIVE TRANSCERVICAL
FALLOPIAN TUBE OCCLUSION
DEVICES AND METHODS

Group Art Unit: 3743

Examiner: Kathryn Odland

Commissioner for Patents
Washington, D.C. 20231**INTERVIEW SUMMARY**

Applicants and their representatives wish to thank the Office personnel for the courtesies extended during the personal interview conducted on October 14, 2004.

Present at the interview were Examiner Kathryn Odland, SPE Henry Bennett, Interference Practice Specialist Steve Marcus and Applicants' attorneys Howard Wisnia and James Conley. Also present telephonically was Applicants' attorney James Scheller.

The interview was held to facilitate action being taken with respect to Applicants' Requests to Provoke Interferences between the instant application and U.S. Patent No. 6,096,052 and between the instant application and U.S. Application No. 08/770,123.

Applicants' representatives briefly described the technology involved with reference to Applicants' *Essure*TM device and some literature demonstrating placement of the device within the Fallopian tube.

Applicants' representatives also gave some background on the families of applications that would be involved in the requested interferences and provided the Examiners with diagrams of each family. The Examiners were also informed of a patent litigation which took place between the assignee of the instant application and the assignee of the 6,096,052 patent and the 08/770,123 application.

CERTIFICATE OF TRANSMISSION UNDER 37 CFR 1.8

I hereby certify that this correspondence is being facsimile transmitted to the United States Patent and Trademark Office on November 15, 2004.

Lori L. Siron
Name

Lori L. Siron
Signature


SAN/102448.1

45078.00003.UTL
Patent

Interference procedural issues were discussed and the Applicants briefly indicated how the instant application contains support for the claims copied from 6,096,052 and 08/770,123 and how Applicants' disclosures are relevant to those documents. Examiner Odland agreed to begin examination on the instant application with respect to patentability and support for the copied claims.

Applicants respectfully request favorable action on this application.

Respectfully submitted,



By: James P. Conley
Reg. No. 52,459

PAUL, HASTINGS, JANOFKY & WALKER LLP
P.O. Box 919092
San Diego, CA 92191-9092
Phone: (858) 720-2500
Fax: (858) 720-2555

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.